

## SAMBALPUR MUNICIPAL CORPORATION: SAMBALPUR Odisha - 768001

Phone No. 0663-2411316 / E Mail: sambalpurm.hud@nic.in

Notice No: 2742

/SMC

Date. 16 /03/2024

## TENDER CALL NOTICE

Sealed Tender are invited from interested reputed firms/ registered dealer / suppliers for supply& installation of AC with Stabilizers, LED Lamps, Ceilings Fans, LED batten light, Wall mounted Fans, and providing and fixing down rod at office building of Sambalpur Municipal Corporation. The tender documents are invited from Registered /Speed Post/Courier only to the address to the Commissioner, Sambalpur Municipal Corporation, Durgapali, Sambalpur, Pin-768006 on or before 16.03.2024 by 5.00pm. The envelope containing the tender document along with supporting documents should be super scribed by "TENDER FOR SUPPLY AND INSTALLATION OF AC with STABILIZER, LED LAMPS, CEILLING FANS, LED BATTEN LIGHT, WALL MOUNTED FANS AND PROVIDING AND FIXING DOWN ROD AT OFFICE BUILDING OF SAMBALPUR MUNICIPAL CORPORATION IN VIEW OF HEAT WAVE IN THE UPCOMMING SUMMER SEASON". The authority will not be held responsible for any postal delay. The tender shall be opened at conference hall on dtd.18.03.2024 by 11.30AM. All the bidders are requested to remain present at the time of opening of the tender. The tender document along the items list and specification can be downloaded from SMC official website www.smcsambalpur.nic.in.

The following documents to be submitted along with the tender document:-

- Self attested copy of PAN, past experience certificate, up to date GST registration certificate, Trade License, Test Report of the product, BEE certification of the product.
- 2. Bidders must submit Bid specific OEM authorization certificate & provide verification Link and contact number.
- 3. Bidder must submit ISO 9001of OEM, End user certification of past experience for similar work
- 4. Tender Paper Cost of Rs.6000/- (Rupees Six thousand only) in shape of Demand draft from any Scheduled Commercial Bank in favour of the Commissioner, Sambalpur Municipal Corporation payable at Sambalpur. Which is non-refundable.
- 5. Refundable EMD of Rs.20,000/- (Rupees Twenty Thousand) only in shape of Demand draft from any Scheduled Commercial Bank in favour of the Commissioner, Sambalpur Municipal Corporation payable at Sambalpur.
- 6. Financial proposal as per Annexure-I.

## Terms and conditions

The bidder/supplier shall abide with the following terms and conditions:-

- The supply is to be made within 15 days from the date of issue of the order otherwise the order will be automatically cancelled.
- Successful Bidder must submit Bank Guarantee @5% of the Contract value for a period not less than 14 (fourteen) month form any Scheduled Commercial Bank in favour of the Commissioner, Sambalpur Municipal Corporation payable at Sambalpur after issue of purchase order.
- 3. The financial proposal is along with all taxes, Installation and transportation charges.
- 4. The products shall have at least two years of self life at the time of supply.
- 5. The rate quoted by the bidder should be valid for one year. SMC have right to procure in phase manner as and when required.
- 6. The items should be of reputed brand.
- 7. The authority reserves the right to reject any or all tender without assigning reason thereof.

Sambalpur Municipal Corporation

Copy to MIS. SMC be displayed at SMC website (http://smcsambalpur.nic.in) / notice board. Collectorate Notice Board for public information

Sambalpur Monicipal Corporation

1			Stabilizer Free Operation	Venu	
			Cooling Capacity	6100 W	
			WiFi	Ven	
			Depth (Main Unit)	28 h cm	
			Width Main Unit	108 cm	
			Depth (Outdoor Unit)	29 g cm	
	Image shown above only for refe	A NO 12 O O		29.4 cm	
	mage shown above only for ren	erence	Height (Main Unit)		
			Colour	white	
			Weight (Outdoor Unit)	34.4 kg	
			Height (Outdoor Unit)	64 cm	
			Weight (Main Unit)	10.8 kg	
			BEE STAR Rating	5 Star	
			Features	ice Clean (FrostWash) Surround Cooling .2 (Long Air throw) My Mode Hexa Sensor Superfine Mesh filter Inner Grooved Copper Tropical design Backlight Remocon Auto fan speed Auto Mode 43 Quality Test Dry Mode (Dehumidification)	
				Warranty	
			Complete	1 year	
			Compressor	10 Year	
-				III NA	
			PCB(Indoor & Out door)	5 Year	
			door)		
	5KVA voltage stabiliser (1 P- 130 Vto 270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac) with 5-year			6 Inches	
	270V, OP-200V to 240)		ltem Height	6 Inches	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-		ltem Height	6 Inches 5 Inches	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-		ltem Height  Item Width  Product	6 Inches 5 Inches 25.4 x 12.7 x 15.24 cm; 3.99	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac)with 5-year		ltem Height	6 Inches 5 Inches	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-		ltem Height  Item Width  Product Dimensions Item model number	5 Inches 25.4 x 12.7 x 15.24 cm; 3.99 Kilograms	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac)with 5-year	AST ASS	ltem Height  Item Width  Product Dimensions Item model number  Power Source Suggested	5 Inches 5 Inches 25.4 x 12.7 x 15.24 cm; 3.99 Kilograms VG 500	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac)with 5-year		ltem Height  Item Width  Product Dimensions Item model number  Power Source	5 Inches 25.4 x 12.7 x 15.24 cm; 3.99 Kilograms VG 500 Electric	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac)with 5-year		ltem Height  Item Width  Product Dimensions Item model number  Power Source  Suggested application:  Working range of the AC (after connecting	5 Inches  5 Inches  25.4 x 12.7 x 15.24 cm; 3.99 Kilograms  VG 500  Electric  2 Ton AC	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac)with 5-year		Item Height  Item Width  Product Dimensions Item model number  Power Source Suggested application:  Working range of the AC (after connecting the stabilizer):	5 Inches 25.4 x 12.7 x 15.24 cm; 3.99 Kilograms VG 500 Electric 2 Ton AC	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac)with 5-year		Item Height  Item Width  Product Dimensions Item model number  Power Source  Suggested application:  Working range of the AC (after connecting the stabilizer):  LED Indication;  Built in thermal overload protection;	5 Inches 25.4 x 12.7 x 15.24 cm; 3.99 Kilograms VG 500 Electric 2 Ton AC 130-270 V IC Controlled Low & High Voltage	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac) with 5-year		Item Height  Item Width  Product Dimensions Item model number  Power Source Suggested application: Working range of the AC (after connecting the stabilizer):  LED Indication; Built in thermal overload protection;  Cabinet Material	5 Inches 25.4 x 12.7 x 15.24 cm; 3.99 Kilograms VG 500 Electric 2 Ton AC 130-270 V IC Controlled Low & High Voltage ABS	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac)with 5-year		Item Height  Item Width  Product Dimensions Item model number  Power Source  Suggested application:  Working range of the AC (after connecting the stabilizer):  LED Indication;  Built in thermal overload protection;	5 Inches 25.4 x 12.7 x 15.24 cm; 3.99 Kilograms VG 500 Electric 2 Ton AC 130-270 V IC Controlled Low & High Voltage	
	270V, OP-200V to 240) (9500-18%+7.75%) (Mictotech/V-Guard/Autotac) with 5-year		Item Height  Item Width  Product Dimensions Item model number  Power Source Suggested application: Working range of the AC (after connecting the stabilizer):  LED Indication; Built in thermal overload protection;  Cabinet Material Capacity	5 Inches 25.4 x 12.7 x 15.24 cm; 3.99 Kilograms VG 500 Electric 2 Ton AC 130-270 V IC Controlled Low & High Voltage ABS 15 Amps.	

	Name of the Items	Quantity	- Jackson March (J. Stat. N. 1 de ser 28	Specification
	∄a"A C Ceiling Fan ISI marked (Bajaj/Usha/Havells or Equivelan	26	Material	Alloy Steel
	The state of the s		Power Source	Electric
		And the control of th	Wattage	74 Watts
	\ <u>'</u>	Company of the Compan	Item Dimensions	27 x 21 x 19.5 Centimete
			RPM:	350
	Con-Lagrangiagos		Air Delivery:	210CMM
			Installation Type	Flush Mount
	lmage shown above only for re	oference	Special Feature	High Velocity
		, le le lle le	The second secon	100% Copper Motor
t end			Motor Type	
			Warranty	5 year
			No of Blade	3
(1	6" Wall mounted fan Najaj/Usha/Havells or Equivelant)) year warranty)	6		
			Power Source	Electric
		CONTRACTOR OF THE PARTY OF THE	Wattage	5 Watts
			Item Dimensions LxWxH	21.6D x 45.7W x 45.7H Centimeters
	- (1)		RPM:	132
	A PTIME		Air Delivery:	7CMM
			Special Feature	High Velocity
		The state of the s	Motor Type	100% Copper Motor
-		The second secon	Varranty	5 year
		CONTROL CONTRO	lo of Blade	3
			lade Length	400 Millimetres
-		The second section is a second section of the second section of the second section is a second section of the second section of the second section is a second section of the section	lade Material	Plastic
-			pecial feature	Oscillating
1	mage shown above only for refe	and the second s	poolal reature	Oscillating
End Cot Filt Cle	Con, split Inverter AC with 5- star ergy efficiency, with Copper, invertible 6-in-1 Cooling, Dual cration, Auto canser(LG/CARREIR/HITACHI or uvolant)	Co	ondenser Coil	Copper
-		Committee of the Commit	mpressor	Dual Rotary Compressor
and the second		and the second s	nnage	2 Ton
			to Clean	Yes
-		Tim	nction	Yes
	· ·		ep Mode	Yes
			Direction	Bottom to Top side
		Approximate the second		Superfine Mesh filter
		Filte	erivpes	Superime Mesir inter
		Section in Contract of the Property of the Parket of the P	er Types Throw	635 CFM

TABLE-1

eture;

FINANCIAL PROPOSALN FOR SUPPLY AND INSTALLATION OF AC with STABILIZER, LED LAMPS, CEILLING FANS, LED BATTEN LIGHT, WALL MOUNTED FANS AND PROVIDING AND FIXING DOWN ROD AT OFFICE BUILDING OF SAMBALPUR MUNICIPAL CORPORATION

			Installation, accessories, transportation and all taxes in Rs.	no. in Rs.
1	Supply/fixing(S/F) of Backlite Angle holder/batten holder of ISI marked conforming to IS1258/1987 in place of ceiling rose	3		
2	S/F of 9W/10Wt LED Lamps (Branded)	100		
3	S/F of 48"A.C Ceiling Fan ISI marked (branded)with 5-year warranty (detail specification attached in Annexure-II)	25		
4	Providing & fixing extra down rod of 100 cm length GI pipes 20 mm dia heavy gauge down rod	25	•	
5	S/F of 20W/18Wt LED batten (Branded)	100		
6	16" Wall mounted fan (branded) including accessories &connection with 5-year warranty) detail specification attached in Annexure-II	6		
7	S/F of 2-ton, split Inverter AC with 5- star Energy efficiency, with Copper, Convertible 6-in-1 Cooling, Dual Filtration, Auto Cleanser (Detail specification attached in Annexure-II	39		
8	S/F of 5KVA voltage stabiliser (I/P- 130Vto 270V, OP-200V to 240) (9500- 18%+7.75%) with 5-year Warranty (detail specification attached in Annexure-II)	39		

We understand that Rate quoted for items in Table-1 shall be approved on L-1 basis. We understand that the Authority is not bound to accept the bid received.

Thanking you Yours sincerely Authorized Signature (in full and initials): Name of firm Address

"ucho" "cl.